



Krishna B. Satyan, M.D.

Carpal Tunnel Release: Post-Operative Instructions

Incision Care

- Keep incision dry until post-operative office visit.
- You may shower, but no tub baths, do not submerge hand in water.
- Apply Neosporin ointment (if not allergic) to incision line.

Pain Management and Medications

- Swelling of the hand and fingers to some degree is common after surgery.
- Keep hand elevated above heart as much as possible.
- Keep hand elevated on pillow while sleeping at night.
- Keep hand elevated by wearing your sling during the day.
- You will be given a prescription for pain medication when you leave the hospital.
- Take as directed on prescription bottle.
- Do not drive, operate machinery or drink alcoholic beverages while taking your pain medication.
- Medication may be refilled, if necessary, during regular business hours:
Monday- Thursday 8:30am - 5:00 pm
Friday 8:30am - 12:30 pm

In general, refills will not be made after hours or on weekends, so please plan ahead

Activity

- Open and close hand several times a day to promote circulation and prevent swelling.
- No tight gripping with hand until released by your physician.
- No lifting > 10lbs or strenuous activity.

Call Our Office if:

- You experience excessive pain, excessive swelling or excessive drainage from your incision.
- You experience excessive numbness or color changes of your hand or fingers.
- You have a fever of 101 degrees or higher.

Follow-up Appointment

This appointment will be 10-14 days after surgery.

Your stitches will be removed at your post-operative office visit.